

14.0300

**SUBDIVISION CONTROL ORDINANCE
TOWNSHIP OF GRAND HAVEN, MICHIGAN
ord. no. 310 eff. March 28, 1999**

An Ordinance to regulate and control the subdivision of land in Grand Haven Charter Township; to promote the public peace and health and the safety and general welfare of persons and property in the Township; to carry out the Land Division Act, as amended; to require and regulate the preparation and presentation of preliminary and final plats; to establish minimum subdivision requirements and standards; to require minimum improvements to be made or guaranteed to be made by the subdivider; to provide procedures to be followed by the Township Board of Trustees and the Township Planning Commission in the application of the terms and provisions of this Ordinance; and to prescribe penalties for the violation of this Ordinance.

THE TOWNSHIP OF GRAND HAVEN, OTTAWA COUNTY, MICHIGAN,
ORDAINS:

14.0310 ARTICLE I: GENERAL PROVISIONS

14.0311 Sec. 1.1 TITLE

This Ordinance shall be known and may be cited as the “Grand Haven Charter Township Subdivision Control Ordinance” or the “Subdivision Control Ordinance”.

14.0312 Sec. 1.2 PURPOSE

The purpose of this Ordinance is to regulate and control the subdivision of land in the Township in order to promote the public peace and health and the safety and general welfare of persons and property in the Township. Without limiting the generality of the foregoing, this Ordinance is specifically intended to:

1. Provide for orderly growth and harmonious development of the community;
2. Secure adequate traffic circulation through the coordinated street systems with proper relation to major thoroughfares, adjoining subdivisions, and public facilities;
3. Require individual property lots of maximum utility and livability;
4. Insure adequate provision for water, drainage, and sanitary sewer facilities, and other health requirements; and
5. Insure the provision for adequate recreational areas, school sites, and other public facilities.

14.0313 Sec. 1.3 LEGAL BASIS

This Ordinance is enacted pursuant to the Land Division Act, as amended, as well as Michigan Act 246 of 1945, as amended (i.e. the Ordinance Power in Townships Act, MCL 41.181 et seq.; MSA 5.45 [1] et seq.).

14.0314 Sec. 1.4 SCOPE

This Ordinance shall not apply to any plat that has received preliminary approval from the Township Board under the Land Division Act or its predecessor before the effective date of this Ordinance, or to any plat created and recorded prior to the effective date of this Ordinance, except in the case of any further division, alteration or vacation of lots or roads located therein. This Ordinance shall not repeal, abrogate, annul, or in any way impair or interfere with existing provisions of other laws, ordinances or regulations, or with private restrictions placed upon property by deed, covenant, or other private agreements, or with restrictive covenants running with the land to which the Township is a party. Where this Ordinance imposes a greater restriction upon land than is imposed or required by such existing provision of any other law, ordinance or regulation of the Township, County or State, the provisions of this Ordinance shall control.

14.0315 Sec. 1.5 COMPLIANCE

After the date of this Ordinance, no person shall subdivide or re-subdivide land within the Township, or commence construction of any building or improvement of such land, prior to the final approval of the Preliminary Plat by the Township Board, and approval of final construction plans. Nothing in this Ordinance shall be deemed to prevent the Township from instituting appropriate actions at law or equity to restrain, correct or abate threatened or continued violations of these regulations.

14.0316 Sec. 1.6 ADMINISTRATION

The approval provisions of this Ordinance shall be administered by the Township Board in accordance with the Land Division Act.

14.0317 Sec. 1.7 SCHEDULE OF FEES

A schedule of fees for the administration of this Ordinance shall be established by resolution of the Township Board. The fees shall be submitted by the subdivider to the Township at the time of submission of the proposed subdivision for preliminary and final approval, or as soon thereafter as the Township can calculate the fees and advise the subdivider of those fees.

Preliminary and final review fees, engineering fees, attorney fees, water and sewer assessments and connection fees, and other Township fees and costs shall be paid

to the Township as follows:

1. Fees for Preliminary and Final Plat review, construction plan review, construction review, municipal review and administration, special Planning Commission or Township Board meetings, and attorney review shall be in accordance with a schedule of fees adopted by resolution of the Township Board.
2. Charges for water and sewer connection shall be as established by ordinance or resolution.
3. All assessments as may be required or as have been established under provisions in other ordinances or resolutions of the Township, including special assessments and deferred assessments, for existing public improvements which lie within or serve lots within a proposed subdivision, shall be fully paid prior to Final Plat approval.
4. Any other Township cost, if not included in a schedule adopted by the Township Board or by ordinance and if the cost is incurred by the Township in reviewing or monitoring any subdivision.

14.0320 ARTICLE II: DEFINITIONS

14.0321 Sec. 2.1 RULES APPLYING TO TEXT

The following rules of construction shall apply to the text of this Ordinance.

1. The particular shall control the general.
2. Except with respect to the definitions which follow in Section 2.2, the headings which title an article, section or subsection are for convenience only and are not to be considered in any construction or interpretation of this Ordinance or as enlarging or restricting the terms and provisions of this Ordinance in any respect.
3. The word “shall” is mandatory and not to be discretionary. The word “may” is permissive.
4. Unless the context clearly indicates to the contrary:
 - A. Words used in the present tense shall include the future tense;
 - B. Words used in the singular number shall include the plural number;
and

- C. Words used in the plural number shall include the singular number.
- 5. The word “person” includes a firm, association, partnership, joint venture, corporation, trust, municipal or public entity, or equivalent entity or a combination of any of them, as well as a natural person.
- 6. The word “Township” means the Charter Township of Grand Haven, Ottawa County, Michigan.
- 7. The words “Township Board” mean the Grand Haven Charter Township Board.
- 8. The words “Planning Commission” mean the Grand Haven Charter Township Planning Commission.
- 9. The words “Township Clerk” or “Clerk” shall mean the Township Clerk of Grand Haven Charter Township.
- 10. The words “Township Engineer” shall mean any firm, person or persons designated by the Township Board to perform on the behalf of the Township any review of subdivision plans, or the preparation of any plans and specifications for, or to oversee the construction of any improvements or designs provided for in this Ordinance.
- 11. The words “Legal Record” mean the circumstance where the legal description of a lot or parcel of land has been recorded as part of a document of record in the office of the Register of Deeds, Ottawa County, Michigan.

14.0322 Sec. 2.2 DEFINITIONS AND WORDS NOT DEFINED

For the purpose of their use in this Ordinance, the following terms and words are hereinafter defined. Any word or term not defined herein shall be considered to be defined in accordance with its common or standard definition.

- 1. AS-BUILT PLANS. Construction plans revised as necessary to reflect all approved field changes.
- 2. BLOCK. An area of land within a subdivision that is entirely bounded by streets and/or the exterior boundary or boundaries of the subdivision.
- 3. BUILDING LINE OR SETBACK LINE. A line measured parallel to the front lot line at a distance equal to the required front yard as specified in the Zoning Ordinance. No buildings are allowed between the front lot line and the building setback line.

4. CAPTION. The name by which the plat is legally and commonly known.
5. COMMERCIAL DEVELOPMENT. A planned commercial center providing building areas, parking areas, service areas, screen planting and widening, turning movement and safety lane street improvements.
6. COUNTY DRAIN COMMISSIONER. The Ottawa County Drain Commissioner.
7. COUNTY HEALTH DEPARTMENT. The Ottawa County Health Department.
8. COUNTY PLAT BOARD. The Ottawa County Plat Board.
9. COUNTY ROAD COMMISSION. The Ottawa County Road Commission.
10. CROSSWALKWAY OR PEDESTRIAN WALKWAY. A right-of-way, dedicated to public use, which crosses a block to facilitate pedestrian access to adjacent streets and lots or parcels of land.
11. CUL-DE-SAC. A street of short length having one end terminated by a vehicular turn-around.
12. DEDICATION. The intentional appropriation of land by the owner to public use.
13. FLOOD PLAIN. That area of land adjoining a river or stream which will be inundated by a 100 year flood. A 100 year flood has a one percent chance of occurring or being exceeded in any given year.
14. FORTY ACRES OR THE EQUIVALENT. Forty acres, a greater-quarter section containing not less than 30 acres, or a government lot containing not less than 30 acres.
15. GREENBELT OR BUFFER PARKS. A strip or parcel of land, privately restricted or publicly dedicated as open space, consisting of evergreen trees or shrubs which are a minimum three feet in height, but capable of attaining growth to at least six feet in height, and which are spaced so as to provide a continuous visual screen from adjacent properties.
16. IMPROVEMENTS. Any structure incident to servicing or furnishing facilities for a plat such as grading, street surfacing, curb and gutter, driveway approaches, sidewalks, cross-walkways, water mains and lines, sanitary sewers, storms sewers, culverts, bridges, utilities, lagoons, slips, waterways,

lakes, bays, canals, and other appropriate items, with appurtenant construction.

17. INDUSTRIAL DEVELOPMENT. A planned industrial area designed specifically for industrial use providing screened buffers, wider streets and turning movement and other safety street improvements, where necessary. This definition shall include industrial parks.
18. LAND DIVISION ACT. Michigan Act 288 of the Public Acts of 1967, as amended.
19. LAND USE PLAN. The Grand Haven Charter Township Master Land Use Plan, as amended.
20. LOT. A measured portion of a parcel or tract of land, which is described and fixed in a recorded plat.
 - A. Lot Depth. The horizontal distance measured perpendicular to the front lot line, between the front line and the rear lot line, as such terms are defined in the Zoning Ordinance.
 - B. Lot Width. The horizontal distance parallel to the front lot line between opposing side lot lines, as such terms are defined in the Zoning Ordinance.
21. MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY (MDEQ). The Michigan Department of Environmental Quality or any successor agency having similar jurisdiction.
22. MICHIGAN DEPARTMENT OF TRANSPORTATION (MDOT). The Michigan Department of Transportation or any successor agency having jurisdiction.
23. OUTLOT. When included within the boundary of a recorded plat, a lot set aside for purposes other than a development site, park, or other land dedicated to public use or reserved to private use.
24. PARCEL. A continuous area or acreage of land which can be described as provided for in the Land Division Act.
25. PLANNED UNIT DEVELOPMENT. A development which is governed by and in compliance with the Planned Unit Development chapter of the Zoning Ordinance.
26. PLAT. A map or chart of a subdivision of land.

27. Preliminary Plat. A map showing the salient features of a proposed subdivision submitted to an approving authority for purposes of preliminary consideration.
28. Final Plat. The final map of a subdivision in form ready for final approval and recording.
29. PROPRIETOR, SUBDIVIDER OR DEVELOPER. A natural person, firm, association, partnership, corporation, or combination of any of them that holds an interest in land, whether recorded or not.
30. PUBLIC UTILITY. A person, firm, corporation, co-partnership, or municipal or other public authority providing gas, electricity, water, steam, telephone, sewer, or other services of a similar nature.
31. PUBLIC OPEN SPACE. Land dedicated to or reserved for use by the general public. It includes, without limiting the generality of the foregoing, parks, recreation areas, school sites, community or public development sites, streets, and public parking spaces.
32. REPLAT. The process of changing, as well as the map or plat which changes, the boundaries of a recorded plat or part thereof. The legal dividing of an outlot within a recorded plat, without changing the exterior boundaries of the outlot, is not a replat.
33. RIGHT-OF-WAY. Land reserved, used, or to be used for a street or other public purposes.
34. SIGHT DISTANCE. The unobstructed vision on a horizontal plane as determined by MDOT and/or the County Road Commission.
35. STREET. A public dedicated right-of-way which affords the principal means of access to abutting property. A street may be any one of four types including the following:
 - A. State trunk line;
 - B. County primary road;
 - C. County local road; and
 - D. Subdivision street.

36. STREET WIDTH. The shortest distance between the lines delineating the right-of-way of the street.
37. SUBDIVIDE OR SUBDIVISION. The partitioning or splitting of a parcel or tract of land by the proprietor thereof, or by the proprietor's heirs, executors, administrators, legal representatives, successors or assigns, for the purpose of sale, or lease of more than one year, or of building development, that results in one or more parcels of less than 40 acres or the equivalent, and that is not exempted from the platting requirements of the Land Division Act. This does not include a property transfer between two or more adjacent parcels, if the property taken from one parcel is added to an adjacent parcel; and any resulting parcel shall not be considered a building site unless the parcel conforms to the requirements of this Ordinance and the Zoning Ordinance.
38. SURVEYOR. A professional licensed surveyor who is registered in the State of Michigan as a registered land surveyor, or a civil engineer who is registered in the State of Michigan as a registered professional engineer.
39. TOPOGRAPHICAL MAP. A map showing existing physical characteristics, with contour lines at sufficient intervals to permit determination of proposed grades and drainage.
40. TRACT. Two or more parcels that share a common property line and are under the same ownership.
41. WATER RESOURCES COMMISSION. The Water Resources Commission of the Michigan Department of Natural Resources or any successor agency having similar jurisdiction.
42. ZONING ORDINANCE. The Zoning Ordinance of Grand Haven Charter Township, as amended.
43. OTHER DEFINITIONS. For other definitions, the definitions of the Land Division Act shall apply.

14.0330 ARTICLE III: PLATTING PROCEDURE

14.0331 Sec. 3.1 SUBMISSION OF PRELIMINARY PLAT FOR TENTATIVE APPROVAL

The procedure for submittal and tentative approval of the Preliminary Plat is as follows.

1. The proprietor shall submit eleven (11) copies of the proposed Preliminary Plat to the Township, together with payment of Preliminary Plat review fees.

The date of filing shall be that date when all data is received and review fees paid; until then, the time frames for the Township to process the application shall not begin.

2. The proprietor shall submit eleven (11) copies of any proposed covenants and deed restrictions, or a statement in writing that none are proposed. If common areas are to be reserved for use of the residents of the subdivision, eleven (11) copies of an agreement showing how the area will be maintained shall also be submitted.
3. The proprietor shall submit a statement indicating the proposed use of the subdivision. To allow consideration of the effect of the subdivision on traffic, fire hazards, congestion of population and demands on public services, the proprietor shall also submit a description of any type of residential buildings, the number of dwelling units contemplated or the type of business or industry contemplated.
4. Identification and Descriptions. The Preliminary Plat shall include the following.
5. The proposed name of the subdivision.
6. The location by section, town and range or by other legal description.
7. The names, addresses and telephone numbers of the proprietor and the surveyor or whoever designed the subdivision layout.
8. The seal of the surveyor.
9. All contiguous holdings of the proprietor with an indication of the portion which is proposed to be subdivided, accompanied by an affidavit of ownership. The affidavit shall include the dates the respective holdings of land were acquired, together with the liber and page of each conveyance to the present owner as recorded in the County Register of Deeds office. The affidavit shall advise as to the legal owner of the property, the contract owner of the property, the date the contract of sale was executed, and, if any corporations are involved, a complete list of all directors and officers of each corporation.
10. The scale of the plat, for which the minimum acceptable scale is one inch to equal one hundred (100) feet.
11. The preparation date.
12. The north point.

13. Existing conditions. The Preliminary Plat shall include the following.
 - A. An overall area map showing the relationship of the subdivision to surrounding areas within a half mile. Information on the area map shall include such things as section lines and/or County primary roads. The minimum acceptable scale for such map is one inch (1") to equal eight hundred feet (800').
 - B. The boundary line of the proposed subdivision, the section or corporation lines within or adjacent to the parcel, and the overall property dimensions.
 - C. Identification of adjacent parcels of subdivided and unsubdivided land shown in relation to the parcel being proposed for subdivision, including those of areas across abutting streets.
 - D. The location, widths and names of existing or prior platted streets and private streets, and public and private easements within or adjacent to the parcel being proposed for subdivision, including those located across abutting streets.
 - E. The location of existing sewers, water mains, storm drains and other underground facilities within or adjacent to the parcel being proposed for subdivision.
 - F. The topography drawn as contours with an interval of not more than two feet. Elevations shall be based on United States Geological Survey data.
 - G. For a subdivision that is lying within a flood hazard area as identified by the State of Michigan, the Ottawa County Drain Commissioner, or the Federal Emergency Management Agency, base flood elevation data shall be provided. Base flood elevation shall indicate the anticipated high water level during a flood having a one percent chance of being equaled or exceeded in any given year.
 - H. Significant natural and man-made features which could influence the layout and design of the subdivision.
 - I. Any wetlands, both regulated and unregulated, within the proposed subdivision.
14. Proposed conditions. The Preliminary Plat shall include the following.

- A. The layout of streets indicating proposed street names, right-of-way widths and connections with adjoining platted streets; also the widths and locations of, easements and public walkways. Street names shall be indicated as approved by the Township and the County Planning Commission.
 - B. The layout, numbers and dimensions of lots, including building setback lines showing dimensions.
 - C. An indication of any parcels or partial parcels of land intended to be dedicated or set aside for public use or for the use of property owners in the subdivision.
 - D. An indication of the ownership and the existing and proposed use of any parcel identified as "excepted" on the Preliminary Plat. If the proprietor has an interest in or owns any parcel so identified as "excepted," the Preliminary Plat shall indicate how this parcel could be developed in accordance with the requirements of the existing zoning district in which it is located and with an acceptable relationship to the layout of the proposed Preliminary Plat.
 - E. An indication of the system proposed for sewage by a method meeting the requirements of the Township Board, the Ottawa County Health Department, and the DEQ.
 - F. An indication of the system proposed for water supply by a method meeting the requirements of the Township Board, the Ottawa County Health Department, and the DEQ.
 - G. An indication of storm drainage method and disposal area.
 - H. In a case where a proprietor wishes to subdivide a given area but wishes to begin with only a portion of the total area, the Preliminary Plat shall include the proposed general layout for the entire area. The part which is proposed to be subdivided first shall be clearly superimposed upon the overall plan in order to illustrate clearly the method of development which the proprietor intends to follow.
15. Any anticipated variance from the provisions of this Ordinance must be requested in writing upon the submission of the Preliminary Plat.
16. Review by Planning Commission.
- A. The Township shall place the Preliminary Plat on the agenda of the Planning Commission. Notice shall be sent to the proprietor by

registered mail of the time and place of such meeting not less than five days before the date fixed therefor. Regular mail notice of the time and place of the meeting shall be mailed to the owners of land immediately adjoining the platted land and within five hundred feet (500'), according to the names which appear on the records of the Township Assessor, not less than five (5) days before the date.

- B. The Planning Commission shall review the Preliminary Plat and other documents submitted with it, and shall receive and consider any comments from any involved Township official and from any person present at the meeting. All persons attending the meeting shall be afforded a reasonable opportunity to address the Planning Commission concerning the proposed plat under such rules as the Planning Commission may establish for the reasonable conduct of its business. If the Preliminary Plat meets all conditions required to be met, the Planning Commission shall recommend to the Township Board tentative approval of the Preliminary Plat.
- C. If the Preliminary Plat does not meet all the required conditions, the Planning Commission shall notify the proprietor of this fact by letter, giving its reasons for disapproval. The Township Board shall receive a report of the findings by the Planning Commission and its recommendation for disapproval.
- D. The Planning Commission shall file its report with the Township not more than sixty (60) days after the filing date of the Preliminary Plat. The sixty (60) day period may be extended for a stated period if the proprietor consents in writing. If no action is taken by the Planning Commission within sixty (60) days, or within the period of time consented to by the proprietor, the Preliminary Plat shall be deemed to have been recommended for approval to the Township Board by the Planning Commission. Upon receiving the report of the Planning Commission, or upon the passage of the time limitations provided for herein, whichever shall first occur, the Township shall place the Preliminary Plat upon the Township Board's agenda for tentative approval.

17. Review by the Township Board.

- A. The Township Board shall review the Preliminary Plat and within ninety (90) days of its filing date shall tentatively approve or disapprove it. The Township Board shall record its approval on the Plat and return one copy to the proprietor or set forth in writing to the proprietor its reasons for rejection and requirements for tentative approval.

- B. Tentative approval by the Township Board shall confer upon the proprietor, for a period of one (1) year, approval of lot sizes, lot orientation and street layout. Such time may be extended if applied for by the proprietor and consented to in writing by the Township.

14.0332 Sec. 3.2 SUBMISSION OF DETAILED PLANS TO TOWNSHIP STAFF

After receiving preliminary approval of the Preliminary Plat and before applying for final approval of the Preliminary Plat, the proprietor shall submit to the Township Staff detailed plans for all improvements within the proposed subdivision. The proprietor may not apply for final approval of the Preliminary Plat until receiving approval from the Township Staff for the detailed plans. The Township Staff position shall be determined by the Township Superintendent or the Superintendent ' s designee.

1. The proprietor shall also submit five (5) sets of detailed working drawings and calculations showing plans for grading, drainage structures, all proposed utilities (including a street lighting plan), street construction plans (including traffic control devices) for streets within and adjoining the plat and soil erosion and sedimentation measures.
2. Utility plans shall be prepared and sealed by a Michigan licensed professional engineer.
3. The proprietor shall provide proof of approval of plats from each of the necessary authorities required for approval in the Land Division Act.
4. Contents of detailed working drawings/plans.
 - A. Working drawings/plans submitted shall be on twenty-four inch (24") by thirty-six inch (36") white prints having blue or black lines.
 - B. For projects or subdivisions having more than one sheet of working drawings/plans, a general plan having a scale of one inch to equal one hundred feet (100') shall be provided, showing the overall project or subdivision and indicating the location of all improvements shown in the detailed plans. Street names, street and easement width, lot lines, lot dimensions and lot numbers shall be shown on all plans. Superimposed on this general plan shall be two feet contours of the area and the area outside the boundaries of the proposed subdivision to the extent necessary to demonstrate that the drainage patterns of adjacent properties will not be adversely affected. Detailed plan sheets showing all improvements should be prepared at a horizontal

scale of one inch to equal fifty feet (50') and a vertical scale of one inch (1") to five feet (5').

- C. All sewers and water mains shall be shown in the plan and profiled. Profiles of sewers and water mains shall indicate the size, class of pipe and slope of the sewers and water mains; the invert of sewers shall also be shown. The profiles shall also indicate the existing ground along the route of the sewers and water mains and the proposed easement grade, or existing or proposed top of curb or centerline of pavement grades (the profiles shall indicate if the curb or centerline is being used). The location of compacted granular backfill required shall be indicated on the profiles together with other intersecting, existing or proposed utilities.
 - D. Elevations shall be based on United States Geological Survey data. There shall be at least two bench marks established within the site, and at least two bench marks shall be shown on each plan sheet.
 - E. Finished grades of utility structures shall be indicated on the plan or profiled for all utilities.
5. When construction drawings are submitted to the Township for approval they shall include all proposed construction within the development. All required improvements shall be shown to the boundaries of the subdivision. A complete plan shall generally include sidewalks, water mains, sanitary sewers, storm sewers, proposed street light locations, signs, and paving. A single plan submittal cannot be approved without all other utilities shown.
6. When construction drawings are submitted to the Township for approval, they shall include all proposed construction within the proposed subdivision. All required improvements, including but not limited to municipal water and sanitary sewer, shall be shown and constructed the entire length and/or width of the proposed subdivision to its boundaries, per the direction of the Township. The intent of this requirement is to ensure that the required improvements, including but not limited to municipal water and sanitary sewer, may be extended by the Township, adjacent property owners, and/or future developers without the need to enter the boundaries of the subdivision. A complete plan shall generally include sidewalks, water mains, sanitary sewers, storm sewers, proposed street light locations, signs, and streets.
7. Review.
- A. The detailed working drawings/plans and calculations shall be reviewed by the Township Staff for compliance with the Land

Division Act, the Township construction standards and other applicable codes and ordinances, including this Ordinance.

- B. The Preliminary Plat shall be reviewed by the Township Staff for compliance with the approved tentative Preliminary Plat, the Land Use Plan, the Zoning Ordinance, this Ordinance and the Township's master utility plans.

14.0333 Sec. 3.3 SUBMISSION OF PRELIMINARY PLAT FOR FINAL APPROVAL

The procedure for submittal and final approval of the Preliminary Plat and final approval of the detailed plans for all improvements within the proposed subdivision is as follows. Until all of the required documents have been filed and fees have been paid, the time frames for the Township to process the application shall not begin.

- 1. Filing.
 - A. Eleven copies of the Preliminary Plat of the proposed subdivision together with an 8 1/2 inch (8.5") by 11 inch (11") reduced reproduction of the Preliminary Plat, payment of review fees and a written application, all shall be submitted to the Township Board. The Township Board shall consider the Preliminary Plat at its next meeting or within 20 days of the date of submission. If the Preliminary Plat is not submitted at least the (10) working days (excluding weekends and holidays) before the next regular Township Board meeting, the Township Board shall have the option of scheduling a special meeting to consider the Preliminary Plat, at the proprietor's expense. The cost of such a special meeting shall be established according to the terms of this Ordinance. Rather than require the Township Board to schedule a special meeting to consider the Preliminary Plat, the proprietor may give the Township a written extension of the review period to the next regular Township Board meeting which is at least ten (10) working days after the submission of the Preliminary Plat (or such later date as the proprietor may desire).
 - B. The Preliminary Plat submitted for final approval shall conform substantially to the Preliminary Plat as tentatively approved, and it may constitute only that portion of the approved Preliminary Plat which the proprietor proposes to record and develop at the time. However, that portion shall conform to this Ordinance.
- 2. When the complete set of plans is approved, five sets of plans shall be provided to the Township before construction may begin; however, thirteen

(13) sets of plans shall be provided to the Township before construction may begin if sanitary sewers are included in the development.

3. Final Approval.

- A. The Township Board shall take timely action on the Preliminary Plat upon receipt of the review recommendations outlined in this Ordinance.
- B. If the Preliminary Plat conforms substantially to the plat tentatively approved by the Township Board, meets all conditions laid down for final approval and has been approved by the necessary agencies specified in the Land Division Act, the Township Board shall approve the Preliminary Plat.
- C. The Township shall promptly notify the proprietor of approval or rejection of the Preliminary Plat in writing. If rejected, reasons shall be given.
- D. Final approval of the Preliminary Plat shall be effective for a period of two (2) years from the date of approval. The two (2) year period may be extended if an extension is applied for by the proprietor and granted by the Township Board in writing.
- E. No installation or construction of any improvement shall be made before the Preliminary Plat has received final approval of the Township Board and the detailed working drawings/plans have been certified to conform to Township construction standards and approved by the Township. The proprietor shall be responsible for obtaining all necessary construction permits from the involved regulatory agencies prior to the start of construction.

14.0334 Sec. 3.4 FINAL PLAT APPROVAL

The procedure for submittal and final approval of the Final Plat is as follows. Until all of the required documents have been filed and fees have been paid, the time frames for the Township to process the application shall not begin.

1. Filing.

- A. One mylar copy and three paper prints of the Final Plat and an eight and one half inch (8.5”) by eleven inch (11”) reduced reproduction of the Final Plat shall be filed by the proprietor with the Township. The proprietor shall deposit such sums of money as the Township Board may require under this Ordinance or by other ordinances.

- B. Two (2) paper prints of “as built plans” for utilities and other improvements shall be filed by the proprietor with the Township. The Township may also require the filing of one electronic copy of “as built plans” (in CAD format).
- C. The Final Plat shall comply with provisions of the Land Division Act.
- D. The proprietor shall submit, as evidence of title, a policy of title insurance for examination in order to ascertain whether or not the proper parties have signed the plat.
- E. The proprietor shall provide a copy of the receipt(s) from the Township Finance Department indicating that all connection charges, assessments, engineering fees and any other Township costs as required by this Ordinance and other ordinances have been paid. The Final Plat shall not be signed by the Township representative prior to such payment.
- F. With the specific consent of the Township Board, Final Plat approval may be authorized prior to the completion of all the improvements required by these regulations, and prior to the filing of the “as built plans” for utilities and other improvements as described above. In lieu of completion, the Township Board shall require the proprietor to deposit with the Township a true copy of an acceptable agreement showing the proprietor has deposited with a bank or other agent acceptable to the Township sufficient funds to guarantee payment for faithful completion of all improvements as required by these regulations and in the same manner as provided in this Ordinance, as well as sufficient funds to guarantee the filing of the “as built plans” for utilities and other improvements as described above.
- G. The Township Board shall review all recommendations and take action on the Final Plat at its next regular meeting or within twenty (20) days of its date of filing. The date of filing shall be that date on which all required information has been provided.

2. Review.

- A. The Final Plat shall be reviewed by the Township as to compliance with the approved Preliminary Plat and approved plans for utilities and other improvements.
- B. The Final Plat shall conform substantially to the Preliminary Plat as approved and it may constitute only that portion of the approved

Preliminary Plat which the proprietor proposed to record and develop at the time. However, such portion shall conform to this Ordinance.

3. Approval.
 - A. Upon the approval of the Final Plat by Township Board, subsequent approvals shall follow the procedure set forth in the Land Division Act.
 - B. When all necessary improvements have been approved and accepted by the Township Board, or in lieu thereof specific consent authorized by the Township Board, a certified approved copy of the Final Plat shall be transmitted by the Township Clerk to the Clerk of the County Plat Board.
(ord. no. 310 eff. March 28, 1999; amend. by ord. no. 339 eff. February 9, 2001).

14.0340 ARTICLE IV: SUBDIVISION DESIGN STANDARDS

14.0341 Sec. 4.1 STREETS

The provisions of this Ordinance shall be the minimum requirements for streets and intersections. If any other public agency having jurisdiction, including the County Road Commission, shall adopt any statute, ordinance, rule or regulation imposing additional, different, or more rigorous requirements, then the provisions of such statute, ordinance, rule or regulation shall govern.

14.0342 Sec. 4.2 STREET REQUIREMENTS

The streets within a plat shall be designed and laid out as follows.

1. Dedication. All streets shall be dedicated to public use unless the proprietor presents valid and sufficient reasons to justify a private road, such as maintenance, traffic control or privacy, and unless there are no detrimental effects with respect to access to adjoining lands.
2. Street Location and Arrangements. If a Capital Improvements Program has been adopted by the Township, subdivision streets shall conform with it.
3. Street Continuation and Extension. Streets shall be arranged to provide for the continuation of existing streets from adjoining areas into new subdivisions. An exception to this requirement may be granted by the Township Board on recommendation from the Planning Commission.

4. Stub Streets. Subject to Section 4.11.B of this Ordinance, where adjoining lands are not subdivided, streets in the proposed plat shall be extended to the boundary line of the proposed plat to make provision for the future projection of such streets on to adjoining lands.
5. Relation to Topography. Streets shall be arranged in proper relation to the plat topography so as to result in usable lots, safe streets, reasonable gradients, efficient drainage and utility systems, and a minimum number of streets necessary to provide convenient and safe access.
6. Traffic Separation. The Township Board may require such other street arrangements as may be deemed necessary for the adequate protection of residential properties and to provide for separation of through and local traffic.
7. Cul-De-Sac Streets. A cul-de-sac shall meet all of the requirements for cul-de-sacs which have been instituted at such time by the County Road Commission. No temporary cul-de-sacs shall be allowed; all cul-de-sacs must meet the County Road Commission requirements for permanent cul-de-sacs.
8. Half-Streets. Half-streets are prohibited unless the Township Board, on recommendation from the Planning Commission, determines unusual circumstances make half-streets essential to the reasonable development of a parcel in conformance with this Ordinance, and unless satisfactory assurance for dedication of the remaining part of the street is provided. Whenever a parcel to be subdivided borders on an existing half or partial street, the other part of the street shall be dedicated within such parcel in accordance with the requirements of the County Road Commission.
9. Railroad or Limited Access Highway Right-of-Way. Should a proposed subdivision border on or contain a railroad or a limited access highway right-of-way, the Township Board may require the location of streets approximately parallel to and on each side of such right-of-way at distances suitable for the development of an appropriate use of the intervening land, such as for parks in residential districts. Such distances shall be determined with due consideration of the minimum distance required for approach grades to future grade separation.
10. Existing Street Frontage. Whenever the area to be subdivided is to utilize existing street frontage, such street shall be suitably improved.
11. Access Streets. A subdivision or an extension of an existing subdivision shall be platted so as to provide sufficient access streets.

12. On-Street Parking. On-street parking of vehicles will generally be allowed unless the Township Board, upon recommendation of the Planning Commission, determines that such parking should be prohibited either at or subsequent to the time of the subdivision.
13. Conformance with Land Use Plan. The proposed subdivision shall conform to the various elements of the Land Use Plan and shall be considered in relation to the existing and planned streets.

14.0343 Sec. 4.3 STREET SPECIFICATIONS

The streets within a plat shall be specified and constructed as provided below.

1. Street Right-of-Way and Pavement Widths. Street right-of-way and pavement widths shall be as required by any Township Capital Improvements Program, the County Road Commission and the Michigan State Department of Highways, whichever applicable requirements are the greatest.
2. Street Gradients. A street grade shall not exceed seven percent, unless the proprietor presents valid and sufficient reasons to justify a steeper grade. No street grade shall be less than 0.6 percent on streets with bituminous curbing and no less than 0.4 percent on streets with concrete curbing.
3. Street Alignment.
 - A. Horizontal Alignment. When street lines deflect from each other by more than ten (10) degrees in alignment, the centerlines shall be connected by a curve with a minimum radius of five hundred feet (500') for county primary roads, three hundred feet (300') for county local roads and one hundred feet (100') for subdivision streets. Between reverse curves, there shall be a minimum tangent distance on subdivision streets of fifty feet (50'), and on county primary and county local roads of two hundred feet (200').
 - B. Vertical Curves and Sight Distances. All streets shall comply with the MDOT rules and regulations concerning vertical curves and sight distances.
 - C. Pavement Centerline. The centerline of pavement shall coincide with the centerline of the right-of-way, except for irregular right-of-way widths approved by the Township Board.

14.0344 Sec. 4.4 STREET NAMES AND SIGNS

1. Street Names. Street names shall not duplicate any existing street name in the County, except where a new street is a continuation of an existing street. Street names that may be spelled differently but sound the same are also prohibited. All new streets shall be named as follows.

Streets with predominant north-south directions shall be named "Avenue" or "Road"; streets with predominant east-west directions shall be named "Street" or "Highway"; meandering streets shall be named "Drive," "Lane," "Path" or "Trail"; and cul-de-sacs shall be named "Court," "Way" or "Place."

2. Signs. Street name signs shall be placed at all street intersections in accordance with the requirements of the County Road Commission. Other signs such as no parking signs, stop or yield signs, speed limit signs, and warning signs will be required in conformance with the Michigan Manual of Uniform Traffic Control Devices. Appropriate pavement markings shall also be provided. All signs and traffic control devices shall be indicated on the street layout plan for the subdivision.

14.0345 **Sec. 4.5 INTERSECTIONS**

All intersections within a plat shall be designed, laid out, specified and constructed as follows.

1. Angle of Intersection. Streets shall intersect at ninety (90) degrees or as closely thereto as practical, and in no case shall the angle of intersection be less than eighty (80) degrees.
2. Sight Triangles. The minimum sight distance at all street intersections shall permit vehicles to be visible to the driver of another vehicle when each is one hundred (100) feet from the center of the intersection.
3. Number of Streets. No more than two streets shall cross at any one intersection.
4. "T" Intersections. "T" type intersections shall be used if practical where streets intersect.
5. Centerline Offsets. Slight jogs at intersections shall be eliminated where practical. Where such jogs cannot be practically avoided, street centerlines shall be offset by a distance of one hundred twenty-five feet (125') or more.
6. Vertical Alignment of Intersection. A nearly flat grade with appropriate drainage slopes is required within intersections. This flat section shall be carried back at least 50 feet each way from the intersection. An allowance of

two percent maximum intersection grade in rolling and four percent maximum intersection grade in hilly terrain shall be permitted.

7. Width of Intersections. Curved subdivision streets, when intersecting a county primary or a county local road, shall do so with a centerline tangent length of at least fifty feet (50'), measured from the right-of-way line of the county primary or county local road. Where a subdivision street intersects a county primary or a county local road, the subdivision street shall be widened as may be required to provide for turning movements. A widening may be required on county primary or county local roads between approaches if the distance between intersecting subdivision streets is less than two hundred feet (200'). A widening of the county primary or county local roads will be required on the opposite side if the conditions so indicate.

14.0346 Sec. 4.6 SEPARATE ACCESSES

If a plat will have more than twenty-four (24) dwelling units, then the plat must have at least two (2) separate accesses from a public right-of-way. These separate accesses must be at least three hundred feet (300') away from each other, measured along one (1) or more public rights-of-way.

14.0347 Sec. 4.7 CONSTRUCTION MATERIALS, CURB AND GUTTER

All streets within a plat shall consist of the following materials as hereinafter provided.

1. Surface and Sub-Base Materials. Streets within a plat shall be constructed with surface and sub-base materials according to and as required by the standards of the County Road Commission.
2. Curb and Gutter. Subdivision streets shall have a two feet (2') wide bituminous wedge curb to facilitate drainage, unless the County Road Commission requires otherwise. All other streets shall have concrete curb and gutter. The minimum curb radius shall be twenty-five feet (25') for intersections of subdivision streets and thirty feet (30') at intersections involving county primary or county local roads.

14.0348 Sec. 4.8 PEDESTRIANWAYS

All pedestrian-ways within a plat shall be designed, laid out, specified and constructed as follows.

1. Cross-walkways Public rights-of-way for pedestrian cross-walkways in the middle of long blocks shall be provided where necessary to obtain convenient pedestrian circulation to schools, parks or shopping areas. The right-of-way

shall be at least 15 feet (15') wide and extended through the entire block, and it shall be established in the nature of an easement for this purpose.

2. Sidewalks and Non-Motorized Pathways Sufficient public rights-of-way shall be provided so that sidewalks or non-motorized pathways (i.e. pathways intended to be used by non-motorized devices such as a bicycle rather than by motorized vehicles or pedestrians) may be installed on both sides of all streets.
 - A. When Required Sidewalks or non-motorized pathways shall be required when the Township Board decides they are necessary to facilitate safe and convenient travel from a pedestrian generator such as an existing or proposed school, park, institution, work place, neighborhood commercial area, or developed residential neighborhood.
 - B. Sidewalk Thickness. Concrete sidewalks shall be constructed in five (5) feet square sections, not less than five feet in width and not less than four inches in thickness (but not less than six inches (6'') in thickness at driveways). The location for sidewalks shall be in the right-of-way, one foot (1') from the right-of-way line.
 - C. Non-Motorized Pathway. The minimum cross section for non-motorized pathways shall be twelve inches (12'') of MDOT Class II granular sub-base material compacted in place to ninety-five percent (95%) Maximum Unit Weight and six inches (6'') of 22A aggregate base material compacted in place to ninety-eight percent (98%) Maximum Unit Weight, with a bituminous surface of at least #240/square/yard placed in two (2) lifts.

14.0349 Sec. 4.9 EASEMENTS

Easements shall be provided within a plat as follows.

1. Location of Utility Easements Location of utility line easements shall be provided along the rear and side lot lines as necessary for utility lines. Easements shall give access to every lot, park or public grounds. Such easements shall be a total of not less than forty feet (40') wide if for the installation of sewer, or not less than twenty feet (20') wide if no sewer is to be installed in such easements. Clearing will be required only to the extent required for installation of the utilities.
2. Notification of Utilities. Recommendations on the proposed layout of telephone and electric company easements shall be sought from all the utility

companies serving the area. The proprietor shall submit copies of the approved Preliminary Plat to all appropriate utilities.

3. Easements for Street Light Dropouts. Easements three feet in width shall be provided where needed along side lot lines so as to provide for street light dropouts. Prior to the approval of the Final Plat for a proposed subdivision, a statement shall be obtained from the appropriate utility indicating that easements have been provided along specific lots. A notation shall be made on the Final Plat, indicating the following: “The side lot lines between lots... (indicate lot numbers)...are subject to street light dropout rights granted to the...(utility)...company.”
4. Drainageway The subdivider shall provide drainage-way easements as required by the rules of the County Drain Commissioner.

14.03410 Sec. 4.10 LOTS

All lots within a plat shall be designed and laid out as follows.

1. Conform to Zoning. The lot width, depth, and area shall not be less than required by the Zoning Ordinance for the zone in which the plat is located, except where outlots are provided for some permitted purpose.
2. Lot Lines. Side lot lines shall be as close to right angles to straight streets and radial to curved streets as practical.
3. Depth Related to Width. The lot depth shall not exceed four times the lot width. An exception to this limitation may be granted by the Township Board on recommendation from the Planning Commission, based upon a consideration of the following factors:
 - A. The topographical conditions of the lot;
 - B. The physical conditions of the lot; and
 - C. The compatibility of the lot with surrounding land.
4. Uninhabitable Areas. Lands in the flood plain or otherwise deemed by the Township Board, on recommendation from the Planning Commission, to be uninhabitable shall not be platted for residential purposes, for any use which may increase the flood hazard, or for any use that may increase the danger to health, life, or property. Such land within a subdivision shall be set aside for other uses, such as parks or other open space.

5. Outlot. Any restrictions on the use of outlots shall be submitted to the Township Board for review and approval and shall be recorded at the time that the plat is recorded.
6. Back-Up Lots. Lots shall back into such features as limited access highways, shopping centers, or industrial properties; unless a secondary access is provided. Such lots shall contain a landscaped easement along the rear lot line, at least twenty (20) feet wide, to restrict access, to minimize noise and to protect outdoor living areas. Lots extending through a block and having frontage on two subdivision streets are prohibited.
7. Lot Division.
 - A. Prohibition of Division. No lot, outlot or other parcel of land located in a recorded plat shall be further partitioned or divided unless such partition or division is first approved by the Township Board, after review and consideration by the Planning Commission. No lot, outlot or other parcel of land located in a recorded plat shall be further partitioned or divided into more than four parts.
 - B. Application for Permission. Any proprietor who desires to partition or divide a lot, outlot or other parcel of land located in a recorded plat shall first make application to the Township Board in writing on such application form or forms as shall be provided by the Township. The application shall be filed with the Township and shall include a detailed statement of the reasons for the requested partition or division and a sketch map or maps prepared in scale showing the proposed division or partition and all adjoining lots, streets and parcels of land.
 - C. Building Permit No building permit shall be issued to any proprietor or any other person, firm, association, or corporation with reference to the lot, outlot or other parcel of land which is to be divided unless the partition or division shall first have been approved by the Township Board.
 - D. Conditions. In granting its approval for any such requested division or partition, the Township Board may condition its approval with such reasonable conditions as shall be deemed desirable by the Township Board and which are in accordance with the purposes of the Land Division Act.
8. Frontage. All lots shall front upon a public street. Private roads shall be prohibited unless approved pursuant to Section 4.2.1 above.

14.03411 Sec. 4.11 PLANTING STRIPS, RESERVE STRIPS, PUBLIC SITES, AND OPEN SPACES

Planting strips, reserve strips, public sites and open spaces shall be provided within the plat as follows.

1. Planting Strips. The Township may require planting strips to be placed next to incompatible features such as limited access highways, railroads, commercial uses, or industrial uses to screen the view from residential properties. Such screens shall be a minimum of twenty feet (20') wide, and they shall not be a part of the normal road right-of-way or utility easement.

2. Reserve Strips. A privately-held reserve strip controlling access to streets is prohibited. The Township shall require a one foot (1') reserve to be placed at the end of "stub" or "dead-end" streets which terminate at subdivision boundaries and between half-streets. These reserves shall be deeded in fee simple to the County Road Commission for future street purposes.

3. Public Sites. Where a proposed park, playground, school or other public use shown on the Land Use Plan is located in whole or in part within a plat, a suitable area for this purpose may be dedicated to the public or reserved for public purchase.

4. Open Spaces. Existing natural features which add value to residential development and enhance the attractiveness of the community (such as trees, watercourses, historic spots, and similar irreplaceable assets) shall be preserved, insofar as possible, in the design of the subdivision. The subdivision shall provide for the following with respect to open spaces:
 - A. All open spaces shall be the responsibility of and maintained by parties who have an ownership interest in the open space. In the event the open space is inadequately maintained or becomes a nuisance, the township may undertake such maintenance; and any costs incurred by the township for such maintenance shall be assessed against the property owners.

14.03412 Sec. 4.12 LARGE SCALE DEVELOPMENTS

Large scale developments shall be planned, developed and completed as follows:

1. Modification. This Ordinance may be modified in accordance with Article VI in the case of a subdivision large enough to constitute a complete community or neighborhood, consistent with the Land Use Plan. Such a subdivision must provide and dedicate adequate public open space. When

fully developed and populated, the subdivision must meet any required needs for traffic circulation, recreation, education, light, air and service.

2. Neighborhood Characteristics. A community or neighborhood under this Section shall be generally consistent with the Land Use Plan, shall contain five hundred (500) living units or more, shall contain or be bounded by county primary or county local roads or natural physical barriers as necessary, and shall contain reserved areas of sufficient size to serve its population with schools, playgrounds, parks, and other public facilities. Such reserves may be dedicated.

14.03413 Sec. 4.13 COMMERCIAL AND INDUSTRIAL PLATS

Commercial and industrial plats specifically for commercial or industrial development, including shopping districts, wholesaling areas, and planned industrial districts, may be governed by modified design standards in accordance with Article VI. In all cases, however, adequate provision shall be made for off-street parking and loading areas as well as for traffic circulation.

14.0350 ARTICLE V: SUBDIVISION IMPROVEMENTS

14.0351 Sec. 5.1 PURPOSE

It is the purpose of this Article to specify the improvements which must be constructed by the subdivider as a condition precedent to Final Plat approval.

14.0352 Sec. 5.2 PLANS

The subdivider of the proposed subdivision shall have prepared, by an engineer registered in Michigan, a complete set of construction plans, including without limitation profiles, cross-sections, specifications, and other supporting data, for all required streets, utilities, and other facilities. Such construction plans shall be based on preliminary plans approved with the Preliminary Plat and shall be prepared in conjunction with the Final Plat. Before construction commences, all construction plans shall be approved by the Township and such other public agencies as are required by law. All construction plans shall be prepared in accordance with the requirements, standards or specifications of such public agencies. The Township Superintendent or other authorized agent may exercise discretion to require that the construction of any improvement be inspected during construction by such employees or agents of the Township as the Supervisor or other authorized agent shall designate. The expense of any such inspection shall be paid by the subdivider.

14.0353 Sec. 5.3 PROCEDURE

When construction of an improvement has been completed at the time of filing the Final Plat, one (1) complete copy of as-built engineering plans of each completed improvement shall be filed with the Township coincident with the filing of the Final Plat.

14.0354 Sec. 5.4 REQUIRED IMPROVEMENTS

Every subdivider shall be required to install the following public and other improvements in accordance with the provisions of this Section.

1. Monuments. Monuments shall be set in accordance with the Land Division Act and applicable rules promulgated by the Department of Treasury or any successor agency having similar jurisdiction.

2. Streets. All streets shall be constructed in accordance with the standards and specifications adopted by the County Road Commission and in accordance with this Ordinance.

3. Curbs and Gutters. All curbs and gutters shall be constructed in accordance with the standards and specifications adopted by the County Road Commission and in accordance with this Ordinance.

4. Public Utilities. Public utilities shall be located in accordance with the rules of the County Road Commission. The proprietor shall make arrangements for all utility lines, such as telephone, electric, television and other similar services distributed by wire or cable, to be placed entirely underground throughout a subdivided area, except for county primary roads and limited access highways. Conduits or cables shall be placed within private easements provided to such service companies by the proprietor or within dedicated public ways. All transformer boxes and similar devices shall be located so as not to be unsightly or hazardous to the public. Overhead lines may be permitted only upon approval of the Township Board at the time of final approval of the Preliminary Plat, if the Township Board determines that overhead lines will not constitute a detriment to the health, safety, general welfare, plat design and character of the subdivision and the surrounding area. All such facilities placed in dedicated public ways shall be planned so as to not conflict with other underground utilities. All such facilities shall be constructed in accordance with standards of construction approved by the Michigan Public Service Commission or any successor agency having similar jurisdiction. All drainage and underground utility installations which traverse privately owned property shall be protected by public easements granted by

the proprietor. The underground work for all utilities shall be stubbed to the lot line of each premises served.

5. Driveways. All driveway openings in curbs shall be constructed in accordance with the standards and specifications of the County Road Commission or the Department of State Highways, based on which such public agency has jurisdiction, and, if applicable, any Township Driveway Ordinance.
6. Storm Drainage. An adequate storm drainage system, including necessary storm sewers, drain inlets, manholes, culverts, bridges, and other appurtenances, shall be required. The requirements for each subdivision shall be established by the County Drain Commissioner. The construction plans for each drainage system shall be approved by the County Drain Commissioner.
7. Water Supply System. A water distribution system consisting of appropriate water distribution mains, fire hydrants, and other water system appurtenances shall be provided by the subdivider. This system shall meet all requirements of the County, the State of Michigan and the Township. If water transmission lines are adjacent to the subdivision, the subdivider shall connect the water system provided by the subdivider to such transmission lines. If water transmission lines are reasonably proximate to the subdivision (i.e. within two thousand seven hundred feet (2700') of the subdivision), then the Township Board may, in its discretion, require the subdivider to participate in and share in whole or in part the cost of extending such transmission lines to the subdivision. After such extension is completed, the water system provided by the subdivider shall be connected to the water transmission lines by the subdivider. If water transmission lines are not adjacent to or going to be extended to the subdivision, then the water system shall be charged and capped in such reasonable manner as is satisfactory to the Township Engineer. As an alternative, the water distribution system may, with the approval of the Township Board after consultation with the Planning Commission, the Township Engineer, and the County Health Department, be connected to a central well or wells to be provided by the subdivider. Such well or wells shall be in conformance with all requirements of the County, the State of Michigan, and the Township. The Township may, at its option, choose to operate and maintain such system or, in the alternative, the Township may delay assuming operation and maintenance of such system until a later date. At such time as water transmission lines are adjacent to the subdivision, use of the central water system shall terminate and connection shall be made promptly to the water transmission lines at the expense of the subdivision, the cost to be shared on a pro rata basis by all lots within the subdivision. If a central well or wells are not provided, then individual wells

may be utilized as long as they comply completely with all requirements of the County, the State of Michigan, and the Township.

If water transmission lines for a public water supply are not adjacent to or going to be extended to the subdivision, then the Township Board may, in its discretion, require that the subdivider execute an agreement agreeing to the imposition of a special assessment to cover the subdivision's share of the cost of providing the necessary public water facilities to extend a public water supply to the subdivision as well as the cost of connecting such facilities to the subdivision water system. Such agreement shall be prepared by the Township and shall be in such form as shall be necessary, in the reasonable opinion of the Township Attorney, to effectuate the purposes of this provision.

Alternatively, or in conjunction with the immediately preceding paragraph, if water transmission lines for a public water supply are not adjacent to or going to be extended in a reasonable period of time to the subdivision, and if no central well or wells are provided, the Township Board may, in its discretion, require that the subdivider, in addition to using individualized wells, also construct a water distribution system to service the subdivision at such time that water transmission lines are extended to the subdivision. The subdivider shall still be responsible to, in the Township Board's discretion, share the cost of extending water transmission lines to the subdivision, as well as pay the entire cost of connecting such water transmission lines to the subdivision's water distribution system. The subdivision's water distribution system shall meet all the requirements of the County, the State of Michigan and the Township.

If a water distribution system is required of the subdivider by the Township Board, the following shall be the minimum construction standards to be used.

- A. Water mains shall be at least six inches in diameter. Larger sizes may be required in certain locations to provide adequate flows and pressure at the fire flow or other peak demand.
- B. The Township may require service leads with curb boxes to be installed from the water main for each lot from which access to the water main is inhibited by pavement or some other obstruction.
- C. The water main system shall be looped by connecting to at least two outside sources. No dead end of a water main is allowed in a plat, unless the proprietor presents valid and sufficient reasons to justify a dead end.

- D. Fire hydrants in residential subdivisions shall be located not more than five hundred feet (500') apart. The proprietor shall install hydrant signs on ground-installed sign posts as approved by the Township three feet behind (opposite the street side) all fire hydrants.
 - E. Valves shall be placed at all intersections. Tees shall require two valves and crosses require three valves. Valve spacing shall not exceed one thousand feet (1000') or as directed by the Township.
 - F. No service connections to existing water mains shall be made until pressure and bacteriological tests of the new main have been successfully completed and approved by the Township Board.
 - G. A note must be included on the plans stating that all work shall be in accordance with the Township construction standards.
8. Sanitary Sewer. When connection to a public sanitary sewer system is probable within a reasonable period of time, a sanitary sewer system consisting of appropriate sewer lines, lift stations, and other sanitary sewer system appurtenances shall be provided by the subdivider. This system shall meet all requirements of the County, the State of Michigan, the Township, and any agency with which the Township has contracted for the treatment and disposal of its sewage. If sanitary sewer transmission lines are adjacent to the subdivision, the subdivider shall connect the sanitary sewer system provided by the subdivider to such transmission lines. If sanitary sewer transmission lines are reasonably proximate to the subdivision (i.e. within two thousand seven hundred feet (2,700') of the subdivision), then the Township Board may, in its discretion, require the subdivider to participate in and share in whole or in part the cost of extending such transmission lines to the subdivision. After such extension is completed, the sanitary sewer system provided by the subdivider shall be connected to the sanitary sewer transmission lines by the subdivider. If sanitary sewer transmission lines are not adjacent to or going to be extended to the subdivision, then the sanitary sewer system shall be capped in such reasonable manner as is satisfactory to the Township Engineer. As an alternative, the sanitary sewer system may, with the approval of the Township Board after consultation with the Planning Commission, the Township Engineer, and the County Health Department, be connected to a central sewage disposal system to be provided by the subdivider. Such central sewage disposal system shall be in conformance with all requirements of the County, the State of Michigan, and the Township. The Township may, at its option, choose to operate and maintain such system or, in the alternative, the Township may delay assuming operation and maintenance of such system until a later date. At such time as sanitary sewer transmission lines are adjacent to the subdivision, use of the central sewage system shall terminate and connection shall be made promptly

to such transmission lines at the expense of the subdivision, the cost to be shared on a pro rata basis by all lots within the subdivision. If a central sewage disposal system is not provided, then septic tanks and disposal fields may be utilized so long as they comply with all requirements of the County, the State of Michigan, and the Township.

If sanitary sewer transmission lines are not adjacent to or going to be extended to the subdivision, then the Township Board may, in its discretion, require that the subdivider execute an agreement agreeing to the imposition of a special assessment to cover the subdivision's share of the cost of providing the necessary public sanitary sewer facilities to extend public sanitary sewer service to the subdivision. Such agreement shall be prepared by the Township and shall be in such form as shall be necessary, in the reasonable opinion of the Township Attorney, to effectuate the purposes of this provision.

If sanitary sewer transmission lines are not adjacent to or going to be extended in a reasonable period of time to the subdivision, and if no central sewage disposal system is provided, the Township Board may, in its discretion, require that the subdivider, in addition to using septic tanks and disposal fields, also construct a sanitary sewer system to service the subdivision at such time that sanitary sewer transmission lines are extended to the subdivision. The subdivider shall still be responsible to, in the Township Board's discretion, share the cost of extending the sanitary sewer transmission lines to the subdivision, as well as pay the entire cost of connecting such sanitary sewer transmission lines to the subdivision's sanitary sewer system. The subdivision's sanitary sewer system shall meet all requirements of the County, the State of Michigan, the Township and any agency with which the Township has contracted for the treatment and disposal of its sewage.

If a sanitary sewer system is required of the subdivider by the Township Board, the following shall be the minimum construction standards to be used.

- A. It is intended that the sanitary sewer shall be installed deep enough to provide by gravity flow service to the lowest floor of all buildings. Where sanitary sewer depth is minimal or too shallow for providing gravity service to basements, basement grades shall be shown for existing and proposed houses. Alternatively, the plans shall include a note stating that no basements will be served, or a description of the method of serving basements.
- B. Sanitary sewers shall be at least eight inches in diameter. Larger sizes may be required at certain locations.

- C. If sanitary sewers exist, all appropriate fees shall be paid prior to final plat approval.
- D. A six inch diameter service lead shall be provided for each lot. Each lead shall be extended to the lot line and shall be installed in accordance with the Township construction standards. The terminus of the service lead shall, without a property line service riser, be a minimum of twelve feet (12') below the first floor elevation. It is intended that the end of the service lead will be deep enough to service by gravity flow the lowest floor of all buildings.
- E. Six inch diameter property line service lead risers shall be installed to within a depth of three feet of the elevation of the adjoining street.
- F. Maximum manhole spacing shall be four hundred feet (400') or as approved by the Township Engineer.
- G. The proprietor's engineer shall provide the Basis of Design as required by the Michigan Department of Environmental Quality.
- H. Manholes shall be placed at the end of every run receiving two or more connections, at intersections, at deflections in the sewer, at grade changes and at terminus runs of the sewer. Dead-end sewers shall be designated as follows: "To facilitate future construction only; no house leads allowed until a terminus manhole is constructed."
- I. A public easement shall be designated on the plan for each run of public sewer not in a public right-of-way. The minimum easement width shall be twenty feet (20').
- J. Utility crossings shall be in accordance with Michigan Department of Environmental Quality and Michigan Department of Public Health standards.
- K. When the sanitary sewer is parallel to a water main, a minimum horizontal clearance of ten feet (10'), measured from the outside of one pipe to the outside of the other pipe, is required.
- L. Connection to an existing sanitary sewer will be permitted only after all required sewer tests and video taping have been successfully completed and approved by the Township Engineer.
- M. A note must be included on the plans stating that all work shall be in accordance with Township construction standards.

9. Street Name Signs. Street name signs shall be installed in accordance with Section 4.4.2 of this Ordinance.
10. Crosswalks. Crosswalks, when required, shall:
 - A. Have easements at least ten feet (10') in width;
 - B. Include paved walks at least five feet in width located generally along the centerlines of the easements; and
 - C. Be dedicated as public pedestrian walkways.

Crosswalks shall be constructed in accordance with the standards and specifications adopted by the County Road Commission.

11. Street Lighting. Decorative street lights shall be installed at all intersections, curves, cul-de-sacs, dead-end streets and at such other locations as the Township Board in its discretion reasonably requires. A street layout plan shall indicate proposed lighting pole locations. The street lights shall be installed at the subdivider's expense. The subdivider shall sign an agreement with the Township, agreeing to the imposition of a special assessment to cover the cost of operating the street lights. Such agreement shall be prepared by the Township and shall be in such form as shall be necessary, in the reasonable opinion of the Township Attorney, to effectuate the purposes of this provision. The agreement between the subdivider and the Township shall terminate if the Township Board decides, in its discretion, not to specially assess the operating expenses of the street lights to the lots in the subdivision.
12. Gas. Underground gas lines shall be installed whenever feasible.

14.0355 Sec. 5.5 OPTIONAL IMPROVEMENTS

In certain instances the improvements specified in this Section shall be installed. In other instances such installation shall be optional. If installed, the improvements shall be installed as provided in this Section.

1. Recreation. Where a school site, neighborhood park, recreation area, or public access to water frontage, as previously delineated or specified by official action of the Planning Commission, is located in whole or in part in the proposed subdivision, the Township Board may request the reservation of such open space for school, park, recreation or public access purposes. If such request is granted, then the area shall be reserved for the respective school district in the case of school sites or for the Township in all other

cases. The Township may, in its discretion, accept a dedication of these land areas.

2. Greenbelt. It is desirable for the protection of residential properties to have greenbelt or landscaped screen plantings located between a residential development and adjacent county primary roads, railroad rights-of-way or commercial or industrial land uses.
3. Street Trees. The variety and size shall be subject to the approval of the Township Board and the County Road Commission. Street trees may be planted between the street curb and sidewalk. The location of all street trees shall be approved by the County Road Commission.
4. Landscaping. The proprietor is encouraged to provide landscaping, trees, and shrubbery within the proposed subdivision. Trees and other shrubbery may be provided by the proprietor within public rights-of-way as approved by the County Road Commission, provided the clear vision requirements are still met when the plantings become fully grown.

14.0356 Sec. 5.6 NON-RESIDENTIAL SUBDIVISIONS

Subdivisions intended to accommodate industrial and commercial development shall conform to at least the following minimum requirements in addition to any other requirements set forth by the Township Board.

1. General. A nonresidential subdivision shall be subject to all the requirements of these regulations, and shall be specifically designed for such purposes and shall have adequate provision for off-street parking, setbacks and other requirements in accordance with the Zoning Ordinance.
2. Standards. In addition to the principles and standards in this Ordinance which are appropriate to the planning of all subdivisions, the proprietor shall demonstrate that the street, parcel, and block pattern proposed is suitable for the uses anticipated and takes into account other uses in the vicinity. The following general principles and standards shall be observed.
 - A. Proposed commercial or industrial parcels shall be suitable in area and dimensions to the types of commercial or industrial development anticipated.
 - B. Street rights-of-way and pavement shall be adequate to accommodate the type and volume of traffic anticipated to be generated thereupon.
 - C. Special requirements may be imposed with respect to street, curb, gutter and sidewalk design and construction.

- D. Special requirements may be imposed with respect to the installation of public utilities, including without limitation water mains, sanitary sewers and stormwater drainage.
- E. All reasonable efforts shall be made to protect adjacent residential areas from potential nuisance caused by a proposed commercial or industrial subdivision, including the provision for a permanently landscaped buffer strip when necessary.
- F. Streets carrying nonresidential traffic, especially truck traffic, shall not normally be extended to the boundaries of adjacent existing or potential residential areas.

14.0357 Sec. 5.7 GUARANTEE AND COMPLETION OF IMPROVEMENTS

The construction of all improvements required by this Ordinance shall either be completed by the subdivider prior to Final Plat approval or their completion shall be guaranteed as provided herein.

1. Guarantee In lieu of the actual installation and approval of all improvements required by this Ordinance prior to Final Plat approval, the Township Board may, in its discretion, for those requirements which are over and beyond the requirements of the County Road Commission, County Drain Commissioner, or any other public agency responsible for the administration, operation and maintenance of the applicable public improvement, permit the subdivider to guarantee completion of such required improvements in one or a combination of the following arrangements. In each instance where the subdivider is to guarantee completion of required improvements, the Township and the subdivider shall enter into a written agreement specifying in detail the nature of the required improvements, the time in which these improvements are to be completed, provisions for checking or inspecting the construction of each such improvement to determine its conformity to the submitted construction plans and specifications, and the nature of the financial guarantee of performance which is to be provided by the subdivider for each such improvement. The Township Board may waive financial guarantees of required improvements in the case of street lights or street trees.
2. Alternatives. A financial guarantee for completion shall be provided pursuant to one of the following two alternatives. In either event, the written agreement between the Township and the subdivider may provide that the amount of the bond or deposit provided, as the case may be, shall be progressively reduced as specified improvements are completed.
 - A. Performance or Surety Bond.

- 1) Accrual. The bond shall accrue to the Township and shall cover the full cost of constructing and installing the specific improvement and, where applicable, placing the specific improvement in operation.
- 2) Amount. The bond shall be in an amount equal to the total estimated cost for completing construction and installation of the specific improvement, including contingencies, as estimated by the Township Board, as well as the total estimated cost of placing the specific improvement in operation, where applicable, including contingencies, as estimated by the Township Board.
- 3) Term. The term of the bond shall be for such period as shall be specified by the Township Board.
- 4) Bonding or Surety Company. The bond shall be written by a surety company which is authorized to do business in the State of Michigan and which is acceptable to the Township Board.

B. Cash Deposit, Certified Check, Negotiable Bond, or Irrevocable Bank Letter of Credit.

- 1) Treasurer, Escrow Agent or Trust Company. A cash deposit, certified check, negotiable bond, or an irrevocable bank letter of credit, such bond or letter of credit to be approved by the Township Board, shall be deposited with the Township. The escrow agreement may provide that the deposit will be held by the Township Treasurer or, in the alternative and subject to approval by the Township Board, that the deposit will be held by a state or national banking corporation.
- 2) Dollar Value. The cash deposit, certified check, negotiable bond, or irrevocable bank letter of credit shall be in an amount equal to the total estimated cost of construction and installation of the specified improvement, including contingencies, as estimated by the Township Board, as well as, where applicable, the total estimated cost of placing the specific improvement in operation, including contingencies, as estimated by the Township Board.
- 3) Term. The deposit shall be retained by the Township Board for a period to be specified by the Township Board.

3. Penalty. In the event the subdivider shall, in any case, fail to complete an improvement within the period of time specified in the agreement with the Township for completion, the Township Board may, at its option, proceed itself to have the improvement completed. The agreement between the subdivider and the Township shall provide that all costs and expenses incurred by the Township in completing the improvement shall be reimbursed from the bond or deposit provided pursuant to subsection B immediately above and, if such bond or deposit shall be insufficient, from the subdivider.
4. Inspections of Improvements. The Township shall be responsible for the inspections of the construction of all water main extensions and shall certify that their construction has been satisfactorily completed. The County Road Commission shall be responsible for the inspections of the construction of all streets under its jurisdiction and shall certify that their construction has satisfactorily been completed. The Township Engineer shall be responsible for the inspections of the construction of all sanitary sewer extensions and such other improvements as are assigned by the Township and shall certify that their construction has been satisfactorily completed. If an inspection reveals that any of the required improvements have not been constructed in accordance with the Final Plat, the Township construction standards or as required by the Township Board, the proprietor shall be responsible for completing the improvements. Where the cost of improvements is covered by guaranty or surety, the proprietor and the bank, bond company or other agent shall be severally and jointly liable for completing the improvements according to specifications.
5. Certificates of Occupancy. No certificate of occupancy for any building in the subdivision shall be issued prior to the completion of the improvements, dedication of the same to the Township, and acceptance by the Township Board, except as provided below in this subsection.

Whenever, by reason of the season of the year, any lot improvement required by this Ordinance cannot be performed, the building inspector may issue a certificate of occupancy, provided there is not danger to health, safety or general welfare, upon the Township accepting a cash deposit in an amount to be determined by the Township for the cost of the improvement. The surety covering such lot improvement shall remain in full force and effect until the Township has certified that the construction of the improvement has been satisfactorily completed. All required improvements for which a deposit has been accepted by the Township at the time of issuance of a certificate of occupancy shall be installed by the proprietor within one year. In the event that the improvement has not been properly installed at the end of the time period, the Township Board shall give two weeks' written notice to the proprietor requiring the improvement's installation. If the improvement is not

timely completed, the Township Superintendent may then request the Township Board to authorize the Township Engineer to contract out the work for the completion of the necessary improvement at a sum not to exceed the escrow deposit. At the time of issuance of this certificate of occupancy for which a deposit was made with the Township, the proprietor shall obtain and file a notarized statement from the purchaser(s) of the premises authorizing the Township to arrange and contract for the completion of the improvement at the end of the one year if the improvement has not been duly installed by the proprietor.

14.0360 ARTICLE VI: VARIANCES

14.0361 Sec. 6.1 GENERAL

The Township Board may, on written application from the subdivider and after receipt of a recommendation from the Planning Commission, grant a variance from the provisions or requirements of this Ordinance. A public hearing shall be held by the Planning Commission prior to making its recommendation to the Township Board. Notice of this hearing shall be given in the same manner as is provided in the Township Zoning Act, Michigan Act 184 of 1943, as amended, with respect to the adoption or amendment of a township zoning ordinance. No variance shall be recommended by the Planning Commission or granted by the Township Board unless there are the following findings by the Planning Commission or the Township Board, as the case may be:

1. That there are such special circumstances or conditions affecting the property in question such that strict application of the provisions or requirements of this Ordinance would be impracticable or unreasonable;
2. That the granting of the variance will not be detrimental to the public welfare or injurious to other property in the area in which the subdivision is situated;
3. That the variance will not violate the provisions of the Land Division Act; and
4. That the variance will not have the effect of nullifying the interests and purposes of this Ordinance.

After the completion of the public hearing, the Planning Commission shall make a written recommendation to the Township Board which shall include its findings and specific reasons for its recommendation. On receipt of such written recommendation, the Township Board shall act to either grant or deny the variance.

14.0362 Sec. 6.2 PLANNED UNIT DEVELOPMENT VARIANCE

A subdivider may request a variance of certain provisions or requirements of this Ordinance in the case of a planned unit development. Such request for a variance shall be considered and acted upon in the same manner as is provided in Section 6.1 above. In making its recommendation to the Township Board, the Planning Commission shall consider whether the planned unit development provides adequate public spaces; whether it includes provisions for efficient circulation of adequate light and air and other needs; the nature of the proposed use of land and the existing use of land in the vicinity; the number of persons to reside or work in the proposed planned unit development; the probable effect of the proposed planned unit development upon traffic conditions in the vicinity; whether the proposed planned unit development will constitute a desirable and stable community development; and whether the proposed planned unit development will be in harmony with adjacent areas.

14.0370 ARTICLE VII: ENFORCEMENT AND PENALTIES

14.0371 Sec. 7.1 ENFORCEMENT

No plat required by this Ordinance or the Land Division Act shall be admitted to the public land records of the County or received or recorded by the County Register of Deeds, until such plat has received final approval by the Township Board as provided in this Ordinance. No public board, agency, commission, official or other authority shall proceed with the construction of or authorize the construction of any of the public improvements required by this Ordinance unless such public improvement shall comply in its location and in all aspects with the requirements of this Ordinance; this requirement shall not apply to any public improvements which have already been accepted, already been opened, or otherwise already received the legal status of a public improvement prior to the adoption of this Ordinance.

14.0372 Sec. 7.2 PENALTIES

Any person who violates this Ordinance or fails to comply with any of its requirements shall be responsible for a municipal civil infraction, subject to enforcement procedures as set forth in the municipal civil infraction ordinance adopted by the Township and subject to a fine of fifty dollars (\$50.00), plus costs and other sanctions, for each infraction. Each day during which any violation continues after due notice has been served shall be deemed a separate and distinct offense. Increased civil fines may be imposed for repeat violations; a repeat violation means a second or subsequent municipal civil infraction violation committed by a person within any twelve (12) month period and for which a person admits responsibility or is determined to be responsible. An increased civil fine for repeat violations shall be as follows:

1. The fine for any offense which is a first repeat offense shall be two hundred fifty dollars (\$250.00), plus costs and other sanctions.
2. The fine for any offense which is a second repeat offense or any subsequent repeat offense shall be five hundred dollars (\$500.00), plus costs and other sanctions.

The Township Assessor, Township Zoning Administrator, members of the County Sheriff's Department assigned to the Township, members of any law enforcement agency whose services are contracted for by the Township, and any other individuals who may from time to time be appointed by resolution of the Township Board, are hereby designated as the authorized Township Officials to issue municipal civil infraction citations (directing alleged violators to appear in Court) or municipal civil infractions notices (directing alleged violators to appear at the Township Municipal Ordinance Violations Bureau).

14.0380 ARTICLE VIII: AMENDMENTS

14.0381 Sec. 8.1 AMENDMENTS

The Township Board may, from time to time, amend the regulations and provisions of this Ordinance as provided by law.

14.0382 Sec. 8.2 PROPOSED AMENDMENTS

A proposed amendment may be originated by the Township Board or the Planning Commission. All proposed amendments originating with the Township Board shall be referred to the Planning Commission for a report thereon before any action is taken on the proposal by the Township Board.

14.0390 ARTICLE IX: MISCELLANEOUS PROVISIONS

14.0391 Sec. 9.1 ADMINISTRATIVE LIABILITY

No Township officer, agent, employee, member of the Planning Commission or member of the Township Board shall be personally liable for any damage that may accrue to any person, firm, association, corporation, partnership, joint venture, or combination of any of them as the result of any act, decision, or other consequence or occurrence arising out of the discharge of duties and responsibilities pursuant to this Ordinance.

14.0392 Sec. 9.2 SEVERABILITY

This Ordinance and its various parts, paragraphs, sections, subsections, sentences, phrases and clauses are declared to be severable. If any part, paragraph, section,

subsection, sentence, phrase or clause is adjudged unconstitutional or invalid, the remainder of this Ordinance shall not be affected thereby.

14.0393 Sec. 9.3 REPEAL

All resolutions, ordinances, orders or parts thereof in conflict in whole or in part with any of the provisions of this Ordinance are, to the extent of such conflict, repealed.

14.0394 Sec. 9.4 EFFECTIVE DATE

This Ordinance was approved and adopted by the Township Board on February 22, 1999. This Ordinance shall be effective on March 28, 1999.

TABLE OF CONTENTS

ARTICLE I

<u>GENERAL PROVISIONS</u>	1
SECTION 1.1 <u>TITLE</u>	1
SECTION 1.2 <u>PURPOSE</u>	1
SECTION 1.3 <u>LEGAL BASIS</u>	2
SECTION 1.4 <u>SCOPE</u>	2
SECTION 1.5 <u>COMPLIANCE</u>	2
SECTION 1.6 <u>ADMINISTRATION</u>	2
SECTION 1.7 <u>SCHEDULE OF FEES</u>	2

ARTICLE II

<u>DEFINITIONS</u>	3
SECTION 2.1 <u>RULES APPLYING TO TEXT</u>	3
SECTION 2.2 <u>DEFINITIONS AND WORDS NOT DEFINED</u>	4
A. <u>AS-BUILT PLANS</u>	4
B. <u>BLOCK</u>	4
C. <u>BUILDING LINE OR SETBACK LINE</u>	4
D. <u>CAPTION</u>	5
E. <u>COMMERCIAL DEVELOPMENT</u>	5
F. <u>COUNTY DRAIN COMMISSIONER</u>	5
G. <u>COUNTY HEALTH DEPARTMENT</u>	5
H. <u>COUNTY PLAT BOARD</u>	5
I. <u>COUNTY ROAD COMMISSION</u>	5
J. <u>CROSSWALKWAY OR PEDESTRIAN WALKWAY</u>	5
K. <u>CUL-DE-SAC</u>	5
L. <u>DEDICATION</u>	5
M. <u>FLOOD PLAIN</u>	5
N. <u>FORTY ACRES OR THE EQUIVALENT</u>	5
O. <u>GREENBELT OR BUFFER PARKS</u>	5
P. <u>IMPROVEMENTS</u>	5
Q. <u>INDUSTRIAL DEVELOPMENT</u>	6
R. <u>LAND DIVISION ACT</u>	6
S. <u>LAND USE PLAN</u>	6
T. <u>LOT</u>	6
1. <u>Lot Depth</u>	6
2. <u>Lot Width</u>	6
U. <u>MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY ("DEQ")</u>	6
V. <u>MICHIGAN DEPARTMENT OF TRANSPORTATION (AMDOT@)</u>	6
WV. <u>OUTLOT</u>	6

XX.	<u>PARCEL</u>	6
Y.	<u>PLANNED UNIT DEVELOPMENT</u>	7
Z.	<u>PLAT</u>	7
	1. <u>Preliminary Plat</u>	7
	2. <u>Final Plat</u>	7
AA.	<u>PROPRIETOR, SUBDIVIDER OR DEVELOPER</u>	7
BB.	<u>PUBLIC UTILITY</u>	7
CC.	<u>PUBLIC OPEN SPACE</u>	7
DD.	<u>REPLAT</u>	7
EE.	<u>RIGHT-OF-WAY</u>	7
FF.	<u>SIGHT DISTANCE</u>	7
GG.	<u>STREET</u>	7
HH.	<u>STREET WIDTH</u>	8
II.	<u>SUBDIVIDE OR SUBDIVISION</u>	8
JJ.	<u>SURVEYOR</u>	8
KK.	<u>TOPOGRAPHICAL MAP</u>	8
LL.	<u>TRACT</u>	8
MM.	<u>WATER RESOURCES COMMISSION</u>	8
NN.	<u>ZONING ORDINANCE</u>	8
OO.	<u>OTHER DEFINITIONS</u>	8

ARTICLE III

	<u>PLATTING PROCEDURE</u>	8
	SECTION 3.1 <u>SUBMISSION OF PRELIMINARY PLAT FOR TENTATIVE APPROVAL</u>	8
	SECTION 3.2 <u>SUBMISSION OF DETAILED PLANS TO TOWNSHIP STAFF</u>	13
	SECTION 3.3 <u>SUBMISSION OF PRELIMINARY PLAT FOR FINAL APPROVAL</u>	15
	SECTION 3.3 <u>FINAL PLAT APPROVAL</u>	17

ARTICLE IV

	<u>SUBDIVISION DESIGN STANDARDS</u>	18
	SECTION 4.1 <u>STREETS</u>	18
	SECTION 4.2 <u>STREET REQUIREMENTS</u>	18
	A. <u>Dedication</u>	19
	B. <u>Street Location and Arrangements</u>	19
	C. <u>Street Continuation and Extension</u>	19
	D. <u>Stub Streets</u>	19
	E. <u>Relation to Topography</u>	19
	F. <u>Marginal Access Streets</u>	19
	G. <u>Cul-De-Sac Streets</u>	19
	H. <u>Half-Streets</u>	19
	I. <u>Railroad or Limited Access Highway Right-of-Way</u>	20
	J. <u>Existing Street Frontage</u>	20
	K. <u>Access Streets</u>	20

L.	<u>On-Street Parking</u>	20
M.	<u>Conformance with Land Use Plan</u>	20
SECTION 4.3	<u>STREET SPECIFICATIONS</u>	20
A.	<u>Street Right-of-Way and Pavement Widths</u>	20
B.	<u>Street Gradients</u>	20
C.	<u>Street Alignment</u>	20
1.	<u>Horizontal Alignment</u>	20
2.	<u>Vertical Curves and Sight Distances</u>	21
3.	<u>Pavement Centerline</u>	21
SECTION 4.4	<u>STREET NAMES AND SIGNS</u>	21
A.	<u>Street Names</u>	21
B.	<u>Signs</u>	21
SECTION 4.5	<u>INTERSECTIONS</u>	21
A.	<u>Angle of Intersection</u>	21
B.	<u>Sight Triangles</u>	21
C.	<u>Number of Streets</u>	22
D.	<u>"T" Intersections</u>	22
E.	<u>Centerline Offsets</u>	22
F.	<u>Vertical Alignment of Intersection</u>	22
G.	<u>Width of Intersections</u>	22
SECTION 4.6	<u>SEPARATE ACCESSES</u>	22
SECTION 4.7	<u>CONSTRUCTION MATERIALS, CURB AND GUTTER</u>	22
A.	<u>Surface and Sub-Base Materials</u>	22
B.	<u>Curb and Gutter</u>	23
SECTION 4.8	<u>PEDESTRIANWAYS</u>	23
A.	<u>Crosswalkways</u>	23
B.	<u>Sidewalks and Non-Motorized Pathways</u>	23
1.	<u>When Required</u>	23
2.	<u>Sidewalk Thickness</u>	23
3.	<u>Non-Motorized Pathway</u>	23
SECTION 4.9	<u>EASEMENTS</u>	24
A.	<u>Location of Utility Easements</u>	24
B.	<u>Notification of Utilities</u>	24
C.	<u>Easements for Street Light Dropouts</u>	24
D.	<u>Drainageway</u>	24
SECTION 4.10	<u>LOTS</u>	24
A.	<u>Conform to Zoning</u>	24
B.	<u>Lot Lines</u>	24
C.	<u>Depth Related to Width</u>	24
D.	<u>Uninhabitable Areas</u>	25

E.	<u>Outlot</u>	25
F.	<u>Back-Up Lots</u>	25
G.	<u>Lot Division</u>	25
	1. <u>Prohibition of Division</u>	25
	2. <u>Application for Permission</u>	25
	3. <u>Building Permit</u>	26
	4. <u>Conditions</u>	26
H.	<u>Frontage</u>	26
SECTION 4.11	<u>PLANTING STRIPS, RESERVE STRIPS, PUBLIC SITES, AND OPEN SPACES</u>	26
A.	<u>Planting Strips</u>	26
B.	<u>Reserve Strips</u>	26
C.	<u>Public Sites</u>	26
D.	<u>Open Spaces</u>	26
SECTION 4.12	<u>LARGE SCALE DEVELOPMENTS.</u>	27
A.	<u>Modification</u>	27
B.	<u>Neighborhood Characteristics</u>	27
SECTION 4.13	<u>COMMERCIAL AND INDUSTRIAL PLATS</u>	27

ARTICLE V

	<u>SUBDIVISION IMPROVEMENTS</u>	27
SECTION 5.1	<u>PURPOSE</u>	27
SECTION 5.2	<u>PLANS</u>	28
SECTION 5.3	<u>PROCEDURE</u>	28
SECTION 5.4	<u>REQUIRED IMPROVEMENTS</u>	28
A.	<u>Monuments</u>	28
B.	<u>Streets</u>	28
C.	<u>Curbs and Gutters</u>	28
D.	<u>Public Utilities</u>	28
E.	<u>Driveways</u>	29
F.	<u>Storm Drainage</u>	29
G.	<u>Water Supply System</u>	29
H.	<u>Sanitary Sewer</u>	31
I.	<u>Street Name Signs</u>	34
J.	<u>Crosswalks</u>	34
K.	<u>Street Lighting</u>	34
L.	<u>Gas</u>	35
SECTION 5.5	<u>OPTIONAL IMPROVEMENTS</u>	35
A.	<u>Recreation</u>	35
B.	<u>Greenbelt</u>	35
C.	<u>Street Trees</u>	35
D.	<u>Landscaping</u>	35
SECTION 5.6	<u>NON-RESIDENTIAL SUBDIVISIONS</u>	35
A.	<u>General</u>	36
B.	<u>Standards</u>	36

SECTION 5.7	<u>GUARANTEE AND COMPLETION OF IMPROVEMENTS</u>	36
A.	<u>Guarantee</u>	36
B.	<u>Alternatives</u>	37
1.	<u>Performance or Surety Bond</u>	37
a.	Accrual	37
b.	Amount	37
c.	Term	37
d.	Bonding or Surety Company	37
2.	<u>Cash Deposit, Certified Check, Negotiable Bond or Irrevocable Bank Letter of Credit</u>	38
a.	Treasurer, Escrow Agent or Trust Company	38
b.	Dollar Value	38
c.	Term	38
C.	<u>Penalty</u>	38
D.	<u>Inspections of Improvements</u>	38
E.	<u>Certificates of Occupancy</u>	39
ARTICLE VI		
	<u>VARIANCES</u>	39
	SECTION 6.1 <u>GENERAL</u>	39
	SECTION 6.2 <u>PLANNED UNIT DEVELOPMENT VARIANCE</u>	40
ARTICLE VII		
	<u>ENFORCEMENT AND PENALTIES</u>	41
	SECTION 7.1 <u>ENFORCEMENT</u>	41
	SECTION 7.2 <u>PENALTIES</u>	41
ARTICLE VIII		
	<u>AMENDMENTS</u>	42
	SECTION 8.1 <u>AMENDMENTS</u>	42
	SECTION 8.2 <u>PROPOSED AMENDMENTS</u>	42
ARTICLE IX		
	<u>MISCELLANEOUS PROVISIONS</u>	42
	SECTION 9.1 <u>ADMINISTRATIVE LIABILITY</u>	42
	SECTION 9.2 <u>SEVERABILITY</u>	42
	SECTION 9.3 <u>REPEAL</u>	42
	SECTION 9.4 <u>EFFECTIVE DATE</u>	42